

Teletherapy Models for Supporting Special Education in Rural and Underserved Regions

Vinodinee Vasant Giri¹, Dr. Smita Patil², Sudha Rani³, Amol Bhilare⁴,
Kurbaniyozova Rano⁵, Vokhidov Umid⁶, Divya N⁷

¹Affiliation: Bharati Vidyapeeth (Deemed to be University) College of Engineering, Pune

Email: vvgiri@bvucoep.edu.in

²(corresponding author), Assoc. Prof., Dept. of Sports Physiotherapy,

Krishna College of Physiotherapy, Krishna Vishwa Vidyapeeth "Deemed to be University",

Taluka-Karad, Dist-Satara, Pin-415 539, Maharashtra, India

smitakanase@gmail.com

³Assistant Professor, School of Sciences, Noida International University, Uttar Pradesh 203201, India.

sudha.rani@niu.edu.in

⁴Assistant Professor, Department of Computer Engineering, Vishwakarma Institute of Technology, Pune,

Maharashtra, 411037

email ID :amol.bhilare@vit.edu"

⁵Department of pedagogy and psychology, Urgench state university, Urgench Uzbekistan

rano@urdu.uz

0009-0008-9114-7505.

⁶Department of Preventive medicine, public health and healthcare management, Bukhara State Medical Institute,

Bukhara, Uzbekistan;

e-mail: voxidov.umid@bsmi.uz,

Orcid: <https://orcid.org/0000-0003-1494-0143>

⁷Assistant Professor , Meenakshi College of Physiotherapy, Meenakshi Academy of Higher Education and

Research, Chennai , Tamilnadu. divyan@maher.ac.in

HOW TO CITE:

Vinodinee Vasant Giri, Smita Patil,
Sudha Rani, Amol Bhilare,
Kurbaniyozova Rano, Vokhidov Umid,
Divya N (2026). Teletherapy Models
for Supporting Special Education in
Rural and Underserved Regions.
International Journal of Special
Education, 41(1s), 228-239.

ABSTRACT:

Availability and access to inclusive special education services in rural and underserved areas is a long-standing challenge as the infrastructure is scarce, there is a lack of trained professionals and the socio-economic factors restrict access. To overcome these shortcomings, this research paper suggests a more comprehensive teletherapy model based on the combination of synchronous and asynchronous service provision with personalization based on data and low-bandwidth flexibility. The framework is designed in a multi-layer architecture with a user interaction, edge processing and cloud intelligence components to make sure that it is scalable, continuous and uses resources efficiently. A mixed teletherapy design is adopted to strike the balance between real-time communication with the therapist and a flexible and self-paced learning process based on the use of online resources. The reason is that a simulation-based case study

COPYRIGHT STATEMENT:

Copyright: © 2026 Authors.
Open access publication under the
terms and conditions
of the Creative Commons Attribution
(CC BY)
license (<http://creativecommons.org/licenses/by/4.0/>).

is carried out to test the performance of the system in terms of main metrics like improvement of learners, the level of engagement, attendance and percentage of completing the tasks. The outcomes show that the therapeutic outcomes are steadily improving, with a positive contribution to the caregiver's involvement and adaptive intervention measures. The proposed system is also proven to be efficient by advanced visualization methods of analysis, such as heatmaps, multi-dimensional performance profiles, and stacked contribution charts. It shows that combining technology and user-centric design will greatly enhance the level of access and sustainability of the special education services in the resource-constrained settings. The framework suggested will help to develop scalable teletherapy solutions that will overcome the gaps in service and foster inclusive education. It also brings out as critical the need to integrate technology innovation and contextual adaptability in order to guarantee the long-term effects in underserved populations.

Keywords: Teletherapy, Special Education, Rural Healthcare, Hybrid Learning Model, Assistive Technology, Edge Computing, Cloud-Based Systems, Inclusive Education, Data-Driven Analytics, Remote Therapy Systems.

I. Introduction

Fairness in accessing quality education has been a core goal of the development agendas of the world, but there are still high levels of inequality in the provision of special education services, especially where rural and underserved areas are involved. These disabilities often face structural challenges like inadequate infrastructure, lack of trained special educators, lack of therapeutic resources and socio-economic challenges which prevent regular intervention by learners with disabilities. The traditional face-to-face forms of therapy, such as speech therapy, occupational therapy and behavior therapy, usually do not reach the geographically remote populations because of logistical issues and expensive operational nature. Such constraints lead to the need to consider other service delivery mechanisms that have the potential of closing the accessibility disparity and, at the same time, preserving the quality and efficacy of therapeutic support. Teletherapy, which can be defined as

remote provision of therapeutic services by use of digital communication technologies has come out as a viable solution to these challenges. Using the developments of Information and Communication Technologies (ICT), cloud computing and mobile health solutions, teletherapy allows real-time and asynchronous communication between the therapists and the learners regardless of their geographical limitations. The growing use of smart phones and the internet connection, even in resource limited environments, has further propelled the use of teletherapy models. Evidence shows that telemedicine and teletherapy strategies have played a huge role in enhancing primary care systems and enhancing access to healthcare in developing countries (Gudi et al., 2021). Likewise, extensive research has shown that the use of telemedicine has been steadily increasing over the years, which indicates its increased acceptance and scalability (Barnett et al., 2018). Telepsychiatry has become a very common practice in healthcare institutions in the sphere of mental health, and this

practice has proven to be effective in providing remote therapeutic interventions (Spivak et al., 2020). Moreover, the topicality of telepsychiatry in various socio-cultural settings and especially in the context of crisis conditions (such as the COVID-19 pandemic) have been highlighted in regional analyses (El Hayek et al., 2020). Although teletherapy is increasingly used in rural settings, a number of issues are associated with teletherapy implementation, such as the lack of digital literacy, unstable networks, cultural and other obstacles, as well as data privacy and ethical issues. Additionally, the current teletherapy frameworks tend to be generic to the various types of disabilities and they do not integrate adaptive learning processes that would enable customization of therapy to a specific person. Studies on developmental disabilities also highlight the significance of parental engagement and cultural-sensitive methods in increasing the treatment success, which is not well represented in existing models of teletherapy (Acar et al., 2021). Also, the use of big data and smart health technologies has been cited as a major enabler in enhancing healthcare delivery but its use in teletherapy in special education is low (Pramanik et al., 2017). This kind of framework will help to deliver therapy in a personalized manner, optimize the use of resources, and the smooth communication between stakeholders, such as therapists, educators, caregivers, and learners. It is also necessary to put stress on the development of low-bandwidth solutions, the interfaces with more than one language, and culturally-aware intervention approaches in order to make them inclusive and effective. The current research suggests a holistic method of developing the teletherapy model specially applied to rural and underserved areas in special education. The inclusion of the latest technologies and the incorporation of the practical implementation strategy will help to improve the accessibility, achieve better therapeutic results, and make the study part of the overall objective to achieve inclusive education.

II. Literature Review and Research Gaps

The study of teletherapy, telemedicine and digitally mediated support systems has increased significantly over the past few years especially in the

wake of the increasing concerns over the issue of fair access to health and educational services in geographically isolated societies. Current literature shows that the remote intervention models can be used to lessen service delivery gaps since specialists can access the population that would otherwise be under served. This appropriateness is particularly accentuated in the case of special education since children with developmental, cognitive, communicative, and behavioral difficulties often need long-term and multidisciplinary treatment. However, rural and underserved areas are still plagued by extreme lack of trained therapists, rehabilitation professionals, and special educators, and the technology-enabled delivery systems gain even greater significance. The basic clinical theories like the Diagnostic and Statistical Manual of Mental Disorders (DSM-5-TR) offer comprehensive guidelines to diagnose and categorize developmental and mental health disorders that are indispensable in the development of specific teletherapy treatments (American Psychiatric Association, 2022). The use of telemedicine and digital health implementation has shown evidence of increased the possibility of remote service delivery. The research conducted on resource-constrained areas has proven that mobile technologies in the case of smartphone can be successfully used to deliver the rehabilitation training content, thus making the therapy available to underserved groups (Bhattacharjya & Lenker, 2019). Equally, telemedicine programs in rural areas that are supported by ICT have demonstrated tremendous gains in healthcare access and efficiency in service delivery, suggesting that such programs could be applicable to the special education setting (Anil and Jayakumar, 2019). Extensive studies of e-health systems in developing nations also indicate that online health systems have the potential to improve service coordination, monitoring, and outreach, but infrastructural constraints are still a problem (Zishan et al., 2019). The transition and continuity of care in table 1 is also insightful as studied in mental health and rehabilitation studies that are essential in designing teletherapy. A study conducted on the patient transitioning out of institutional care to community-based care highlights the value of long-term support

mechanisms and pathways of care (Bourke et al., 2019). Furthermore, there has been quantifiable improvement in accessibility as a result of telemedicine of mental health services, but issues of scalability and equity remain (Barnett and Huskamp, 2020). Inequality in the use of telehealth in times of public health emergencies also indicates that socio-economic and technological disparities play a major

role in influencing the use of telehealth especially among the underserved groups (Pierce and Stevermer, 2020). The relevance of social support systems and collaborative care models to enhance the outcome of people with learning disabilities is emphasized in the complementary methods like community-based therapeutic interventions, including dramatherapy (Bourne et al., 2020).

Table 1: Summary of Literature Review and Research Gaps

Focus Area	Key Findings	Limitations / Gaps
ICT-based rural telemedicine	Improves healthcare access and service efficiency in rural regions	Focused on healthcare, not special education, or therapy personalization
E-health systems in developing countries	Highlight's role of digital platforms in improving service delivery	Infrastructure and scalability challenges remain unresolved
Telemedicine in mental health	Demonstrates progress in remote mental health service adoption	Indicates persistent accessibility and equity challenges
Telehealth disparities during COVID-19	Identifies socio-economic and technological gaps in telehealth usage	Lacks solutions for bridging digital divide in therapy delivery

The majority of the literature is dedicated to the healthcare delivery or mental health services but not to the integrated teletherapy models specially designed to suit special education in rural areas. Limited focus on integrating clinical models, digital platforms, involvement of caregivers and adaptive care mechanisms into a single system is emphasized. Also, such problems as optimization of low bandwidth, accessibility in more than one language, digital literacy and implementation that is culturally appropriate are not properly discussed. These constraints imply that there is a necessity of a holistic teletherapy model that combines technological innovativeness with education and socio-cultural factors towards an effective provision of learners with special needs in less-served areas.

III. Research Gap Identified

There is a major gap in research in developing an integrated teletherapy framework that is specifically tailored to special education in rural and underserved areas. Although previous research confirms the usefulness of telemedicine and mobile health, as well as community-based interventions, it fails to properly integrate clinical guidelines, digital

infrastructure, involvement of the caregivers, and adaptive learning mechanisms into a single model. The necessity of having a scalable, low cost and context sensitive teletherapy system that would be able to meet not only technological but also socio-cultural challenges and guarantee personalized and continual support to learners with special needs is evident.

IV. Teletherapy Models and Modalities

The development of digital technologies has greatly changed the teletherapy models which provide flexible and scalable solutions to provide therapeutic interventions to individuals with special educational needs. These models are generally divided into synchronous, asynchronous and hybrid modalities with their unique mode of operations, strengths and weaknesses. The suitable choice of modality will be determined by the nature of disability, presence of technological infrastructure, degree of involvement of the caregiver, and the socio-economic background of the targeted population. Synchronous teletherapy is defined as real time communication between therapists and learners using video conferencing systems, which

allows real time feedback, guided exercises and dynamic communication (Thute et al, 2025). This model is a close replica of the conventional face-to-face therapy sessions and it is especially effective in speech therapy, behavioral interventions and cognitive training. Real time engagements enable therapists to track the responses, modify the intensity of the therapies and give personalized

instructions. Nevertheless, with synchronous models, stable internet connections, compatible gadgets, and digital literacy of caregivers are needed, which can be difficult to achieve in rural and underserved areas. Also, accessibility and continuity of care can be impacted by time zone disparities and scheduling.




Figure 1. Comparison of Teletherapy Models and its Adaptive Technologies Usage

In comparison, asynchronous teletherapy presupposes the administration of previously recorded therapy sessions, educational videos, and online learning resources; they can be viewed anytime. The model is very appropriate to be used in low bandwidth settings and enables caregivers and learners to utilize therapy material at their pace as shown in figure 1. It facilitates rehearsal and this is critical in the learning and maintenance of skills in special education. The use of mobile-based applications and platforms is important in facilitating the asynchronous delivery especially in areas where there is inconsistent connectivity. Although it has its benefits, this modality does not offer a real-time interaction, which could restrict the possibility of providing an immediate feedback, dynamically monitoring the progress, and tackling arising challenges throughout the therapy sessions. Hybrid teletherapy models are models of intervention that provide a balanced structure of effective intervention by merging the two modes of intervention synchronous and asynchronous. Resources in this model are used in real-time sessions, but supplemented with offline resources, which facilitate continuous learning and reinforcement during times other than scheduled.

Hybrid systems will be especially helpful in the rural environment, as the connection problems can disrupt live sessions. Hybrid models are flexible, provide continuity and maximise the use of resources by combining periodic synchronous consultations with asynchronous delivery of content. Involvement of caregivers in such models becomes an important aspect because they can help in practice sessions, tracking progress, and also serve as a middle ground between therapists and learners. The developing teletherapy solutions include the use of the latest technologies like artificial intelligence, adaptive learning systems, and data analytics to customize therapy plans and monitor progress. These innovations provide the possibility to dynamically adapt the content of the therapy in accordance with the performance of a user, which enhances the effectiveness and interest. Nonetheless, they need to be carefully implemented with taking into account ethical, privacy, and accessibility factors, particularly in underserved areas.

V. System Design and Workflow

The proposed teletherapy framework system design has been designed in such a way that it will be

reliable, inclusive, and scalable to deliver special education support in rural and underserved areas. The design is based on a modular design where the user accessibility, low-bandwidth flexibility, smart monitoring, and stakeholder coordinated participation is not just some of the features but are considered as a core element. The system as a whole brings together therapists, learners, caregivers, and administrators together in a digital world that enables therapy planning, content delivery and tracking progress and evaluating outcomes. This type of design is particularly significant in areas where there are limited or uneven physical therapy centers, trained professionals, and special resources necessary in education. At the front-end, the system has a user access module where the therapists,

caregivers and learners use smartphones, tablets, laptops or community digital kiosks to interact with the system. This module is an easy multilingual interface which has role based access controls. Therapists will be able to schedule sessions, post plans of activities, give exercises and check the performance of learners. Caregivers will be able to receive daily therapy instructions, be reminded and provide feedback as to home-based practice. Therapy activities are related to the learners via the use of audio-visual resources, guided activities, communication prompts, and exercises that are reinforced. The interface is specifically made simple to allow users with less technical understanding to use the system with a minimum of technicality.




Figure 2. Teletherapy System Data Flow Diagram

The middle-level of the design is a session management and content coordination module. This module is offered to synchronize sessions using live video interaction and asynchronous using recorded material, worksheets, practice videos and therapy games. A scheduling engine helps to coordinate appointments and provides automatic messages. A content repository will store the therapy materials based on the type of disability, age group, functional ability and objective of the intervention as shown in figure 2. Such an arrangement gives the therapeutic material an opportunity to be delivered in a non-generic way but as per the needs of the learners. It also has offline caching which enables the previously downloaded resources to be available even when connectivity is not working. The backend has an

analytics and monitoring module that is combined with cloud storage and edge processing (option). This module captures attendance, completion of activities, caregiver feedback, session time and pattern of responses by the learner. These data are analyzed to produce progress reports, gaps in participation, and help therapists to improve intervention strategies. In areas with intermittent internet connectivity, edge devices temporarily store local interaction data, and reconnect with the cloud when connectivity is restored. This composite storage logic enhances continuity and makes the framework to be more appropriate to remote settings. The workflow will start with the registration of a learner and assessment of her/his baseline, and then profile creation and generation of a therapy plan. Assigning synchronous and

asynchronous activities then is undertaken on individualized needs by therapists. Caregivers facilitate the participation of the sessions, and reinforce at-home follow-up exercises during implementation.

VI. Proposed Integrated Teletherapy Framework

The suggested integrated teletherapy model will help meet the complexities of providing special education in rural and underserved areas. The framework takes the layered and modular design that integrates both synchronous and asynchronous teletherapy modalities and smart data-driven elements to provide accessibility, personalization, and continuity of care. It focuses on adaptability with low resources, engagement of caregivers and deployability at scale to match the technological capacity and the constraints of the real world. The

framework is based on a three-tier architecture that consists of the user interaction layer, the edge processing layer and the cloud intelligence layer. The user interaction layer will empower the interaction among therapists, learners and caregivers via mobile devices, tablets or low-cost computing systems. This layer facilitates live video session, and access to pre-recorded therapeutic materials so that they can participate flexibly. The interfaces should be multilingual, easy to use and understand to make them usable to people of different digital literacy levels. The role of caregivers in this layer is very important since they help the learners throughout the sessions, reinforce therapy practices and offer contextual feedback to therapists. The edge processing layer provides the local data processing, real-time signal processing, recording of sessions and initial analytics.




Figure 3. Integrated Teletherapy Framework Architecture

This layer lowers latency and minimises the need to have continuous internet connectivity since it does computations nearer to the user. When connected to the cloud, the edge devices are able to store therapy modules, user interactions as well as synchronize data to the cloud. This is especially useful in rural areas where there is an inconsistent network reliability. Also, edge level processing facilitates offline processing to allow continuous delivery of therapy even in low bandwidth settings. It is the cloud intelligence layer that is the core data warehouse (data storage), sophisticated analytics, and decision support as shown in figure 3. The layer combines machine learning algorithms to examine

how users do, what behavioral patterns they exhibit, and come up with customized therapy plans. Adaptive learning systems are dynamic in the sense that the content of the therapy is dynamically adjusted, according to progress measures, so that the interventions will always be according to the individual needs. Therapists can also monitor the sessions remotely through the cloud platform and review the data, which will show progress, and change treatment plans. There are secure data management protocols that are put in place to provide privacy, confidentiality and adherence to the ethics. The main aspect of the suggested framework is that it suggests the hybrid model of

teletherapy delivery that is a combination of regular synchronous sessions and asynchronous learning. This will provide real-time guidance and give the learners the opportunity to learn on their own using digital resources. The feedback loops between the therapists, caregivers and learners increase the engagement and improve the outcomes of the therapy. Moreover, the structure is interoperable with the current educational and healthcare systems, allowing the flow of data without problems and coordinated care.

VII. Case Study & Simulation Analysis

The proposed teletherapy framework is tested with the help of a simulated case study that can be regarded as the representation of the rural setting of special education with a limited access to professional therapy services. The simulation takes into account a population of learners, who have various special needs, such as speech delay, learning

disabilities and mild autism spectrum conditions. The aim is to evaluate the enhancement of accessibility, engagement and therapy outcomes in the integrated teletherapy system in limited infrastructural settings. The virtual world can be modeled to imitate a low-bandwidth rural area environment where intermittent access to the Internet, restricted access to devices, and involvement with caregivers are typical. The system currently has 20 learners that have been enrolled and have their own individualized therapy plan, which is decided by baseline assessments. The structure includes a hybrid model of teletherapy, which combines two sessions weekly that are in-depth with one-way learning resources like taped exercises, activity sheets, and tutored interaction assignments. Caregivers will be trained to provide support to the learners in offline practice sessions and to feed them back via the system interface.

Table 2: Simulation Outcomes (8-Week Evaluation)

Learner ID	Disability Type	Attendance (%)	Task Completion (%)	Improvement Score (%)
L1	Speech Delay	85	78	22
L2	Learning Disability	80	72	18
L3	Autism (Mild)	90	85	25
L4	Speech Delay	75	70	17
L5	Learning Disability	88	82	24

The findings show that the suggested framework could be successful in special education service provision in rural settings by enhancing the involvement of learners and therapy results. Hybrid delivery, involvement of caregivers, and adaptive monitoring combined are a part of a scalable and sustainable model of teletherapy. The simulation has performance measures such as the percentage of attendance of the simulation, percentage of completing the tasks, level of engagement and improvement score as shown in table 2. The system captures data on both the edge and cloud, and this makes sure that continuity even in case of connectivity disruption. Learner progress will be

tracked and therapy plans will be dynamically adjusted during a period of simulation (eight weeks). The findings suggest that gradually there is improvement in engagement and learning outcomes, especially in learners who have a constant support of the caregiver. One of the most important findings during the simulation is that asynchronous resources can greatly contribute to the frequency of practice, and synchronous sessions can help to correct the skills and motivate. Combination of the two modalities provides continuity of therapy irrespective of the connectivity problem. Moreover, the data-driven monitoring system will allow therapists to detect

low-engagement learners at the beginning and act upon them by using personalized approaches.

VIII. Results and Discussion

The effectiveness of the suggested integrated teletherapy framework will be considered in terms of the following main indicators: improvement of learners, their level of engagement, and the attendance rate, as well as compliance with rural limitations. The findings of the simulation study reveal an evident positive tendency in the treatment outcomes and interaction with users, which proves that the hybrid teletherapy method can be effective in promoting special education in underserved areas. The trend of improvement that is evident in the eight weeks period of evaluation indicates a

gradual progress in the learner's performance. The first couple of weeks will be characterized by an average level of progress because of familiarization with the system and adjustment of the caregivers. Nevertheless, with time as the learners familiarize themselves with the teletherapy setting and the caregivers learn to guide learners, the rate of improvement will be a lot faster. Combining the synchronous sessions enables the therapist to deliver corrective feedback and tailored instructions, whereas asynchronous materials make sure that the skills are repeated, which results in long-term skill acquisition. Such combination is especially helpful with students who have speech and cognitive difficulties and repetition and reinforcement are vital to them.




Figure 4. Heatmap of Improvement and Engagement

The level of engagement also has a steady increasing trend during the period of simulation. The progressive growth in the level of engagement can be explained by the interactive character of digital therapy material, as well as the flexibility in accessing the materials at comfortable times and the inspirational effect of frequent contact with a therapist as illustrated in figure 4. Caregiver involvement is very important in ensuring that there is engagement, particularly to the younger learners or those who need constant supervision. Participation of the users is also enhanced by the fact that the system has the capacity of reminding, organising activities as well as giving progress feedback.




Figure 5. 3D Surface Plot of Improvement Progression

Regarding the system perspective, the framework is resilient to deal with low-bandwidth conditions. The edge processing and accessing content offline will provide continuous therapy delivery even during unstable connection as shown in figure 5. This aspect is especially crucial in rural communities

where the reliability of the network can be unreliable. Also, data synchronization mechanism enables easy integration of the offline and online activities which can be tracked and analysed properly.




Figure 6. Stacked Contribution of Teletherapy Modalities

Comparative observation reveals that learners who attended regular sessions of both synchronous and asynchronous activities had better improvement scores as compared to learners who used one modality. This observation supports the significance of hybrid forms of teletherapy in making the most of the therapy effects as shown in figure 6. Moreover, the analytics module is a useful tool to detect low-engagement cases and intervene in time and modify therapy plans. The system does not only help in closing the divide between therapists and learners, but it also promotes a learning ecosystem of caregivers and digital tools, making sustainable and inclusive delivery of special education a reality.

IX. Conclusion

Teletherapy offers a revolutionary solution towards helping resolve the long standing dilemma of providing special education services to rural and underserved communities. The suggested integrated framework shows that the use of synchronous and asynchronous modalities, with data-driven intelligence, can greatly contribute to the increased accessibility, continuity, and efficacy of therapeutic interventions. The system includes adaptable low-bandwidth, user-friendly interfaces, and caregiver involvement, making sure technological solutions can be feasible and inclusive in resource-heavy

settings. The results of the simulation analysis show steady increases in the engagement of learners, completion of tasks and general outcomes of therapy. The hybrid delivery model is especially effective, since it provides a balance between real-time and flexibility of self-paced learning, which, respectively, overcomes the constraints of connectivity and time. Moreover, analytics and monitoring measures allow planning the therapy individually and implementing the intervention in a timely manner, which promotes long-term improvements among learners having different needs. The framework also emphasizes the need to have an ecosystem of collaboration among therapists and caregivers, as well as digital platforms. This kind of coordination does not only improve the quality of therapy, but also the active involvement as well as accountability of the stakeholders. Its flexibility and adaptability enable it to be applicable to implementation in diverse socio-economic and cultural settings to help advance more inclusive and equitable education. The suggested solution offers a starting point towards creating smart, scalable, and context-based systems that can advance learning outcomes and quality of life of people with special needs in underprivileged areas.

References

- Gudi, N., Konapur, R., John, O., Sarbadhikari, S., & Landry, M. (2021). Telemedicine supported strengthening of primary care in WHO South East Asia region: Lessons from the COVID-19 pandemic experiences. *BMJ Innovations*, 7, 580–585.
- Barnett, M. L., Ray, K. N., Souza, J., & Mehrotra, A. (2018). Trends in telemedicine use in a large commercially insured population, 2005–2017. *JAMA*, 320, 2147–2149.
- Spivak, S., Spivak, A., Cullen, B., Meuchel, J., Johnston, D., Chernow, R., Green, C., & Mojtabai, R. (2020). Telepsychiatry use in U.S. mental health facilities, 2010–2017. *Psychiatric Services*, 71, 121–127.
- El Hayek, S., et al. (2020). Telepsychiatry in the Arab world: A viewpoint before and during COVID-19. *Neuropsychiatric Disease and Treatment*, 16, 2805–2815.
- Acar, S., Chen, C. I., & Xie, H. (2021). Parental involvement in developmental disabilities across three cultures: A systematic review. *Research in Developmental Disabilities*, 110, 103861.
- Pramanik, M. I., Lau, R. Y. K., Demirkan, H., & Azad, M. D. A. K. (2017). Smart health: Big data enabled health paradigm within smart cities. *Expert Systems with Applications*, 87, 370–383.
- American Psychiatric Association. (2022). *Diagnostic and statistical manual of mental disorders* (5th ed., text rev.; DSM-5-TR). APA Publishing.

-
- Karanjekar, N., Thute, A., Ninawe, A., Kawalkar, A., & Meshram, Y. (2025). A Review Design Analysis And Development of Drive Shaft For Automobile Application With Optimization After Design Includes Weight Reduction. *International Journal on Theoretical and Applied Research in Mechanical Engineering*, 14(1), 35–40. <https://doi.org/10.65521/ijtarme.v14i1.517>
- Bhattacharjya, S., & Lenker, J. (2019). Using smartphones to disseminate video-based rehabilitation training materials in resource-poor regions in India. *Archives of Physical Medicine and Rehabilitation*, 100, e140.
- Bourke, J. A., Nunnerley, J. L., Sullivan, M., & Derrett, S. (2019). Relationships and the transition from spinal units to community for people with a first spinal cord injury: A New Zealand qualitative study. *Disability and Health Journal*, 12, 257–262.
- Anil, A., & Jayakumar, M. S. (2019). Improving rural health care services using ICT: Telemedicine facility in Kerala. *International Journal of Scientific and Technology Research*, 8, 7.
- Zishan, S. R., Hossain, C. A., Mohamed, M. A., & Sharun, M. (2019). The scenario of e-health systems in developing countries (Bangladesh and Malaysia).
- Barnett, M. L., & Huskamp, H. A. (2020). Telemedicine for mental health in the United States: Making progress, still a long way to go. *Psychiatric Services*, 71, 197–198.
- Pierce, R. P., & Stevermer, J. J. (2020). Disparities in use of telehealth at the onset of the COVID-19 public health emergency. *Journal of Telemedicine and Telecare*, 29, 1357633X2096389.